




Vannes boisseau "basic"

Vanne boisseau "Basic" Sortie à coller - PE - Système Basic ITEM 205



Réf.	Description	P. Net	Vol. (m ³)	P. Brut	Lot
1011074	VALVULA ENLACE S/ENCOLAR 20	0,158	0,01553	6,65	40
1011075	VALVULA ENLACE S/ENCOLAR 25	0,224	0,02244	9,47	40
1011076	VALVULA ENLACE S/ENCOLAR 32	0,343	0,03129	10,86	30
1011077	VALVULA ENLACE S/ENCOLAR 40	0,579	0,03129	12,15	20
1011078	VALVULA ENLACE S/ENCOLAR 50	0,832	0,03129	13,06	15
1011079	VALVULA ENLACE S/ENCOLAR 63	1,328	0,03682	13,83	10
1011080	VALVULA ENLACE S/ENCOLAR 75	2,698	0,03129	11,37	4
1011081	VALVULA ENLACE S/ENCOLAR 90	4,351	0,02244	9,19	2
1011682	V E. SIST IMPLEX S/ENC 110	6,445	0,04460	13,62	2
1011763	V.E SIST GAT S/ENC 125 DN113 PTFE	8,755	0,04460	9,49	1
1011889	V.E SNS SIS GAT S/ENC 125 DN113 PTFE	10,425	0,04460	11,16	1
1011890	V.E SNS SIS GAT S/ENC 140 DN125 PTFE	13,873	0,06347	14,66	1
1011010	VALVULA ENLACE S/ENCOLAR 63-75	1,342	0,03682	14,26	10
1011011	VALVULA ENLACE S/ENCOLAR 75-90	3,464	0,03129	14,43	4
1011012	VALVULA ENLACE S/ENCOLAR 90-110	4,676	0,02244	9,84	2
1011685	V E. SIST IMPLEX S/ENC 125	6,561	0,03682	7,11	1
1011686	V E. SIST IMPLEX S/ENC 140	6,500	0,03682	7,26	1
1011768	V.E SIS GAT S/ENC 140 DN113 PTFE	8,624	0,03682	9,24	1
1011840	V.E SNS SIS GAT S/ENC 160 DN125 PTFE	14,163	0,06347	14,95	1
1011883	V.E SIS GAT S/BRIDAS 160 DN150 PTFE	18,460		14,50	1





ITEM 205 | Vanne boisseau "Basic" Sortie à coller - PE - Système Basic

CÓDIGO	f	DN	PESO (g)	A	B	C	D	E	F	PN	MEDIDA
11074	20	15	148	85	51	16	74	88	44	PN16	MÉTRICO
11075	25	20	186	94	58	19	80	94	49	PN16	MÉTRICO
11076	32	25	312	120	68	23	103	138	66	PN16	MÉTRICO
11077	40	32	538	133	84	25	125	160	71	PN16	MÉTRICO
11078	50	40	782	147	99	31	138	170	75	PN16	MÉTRICO
11079	63	50	1218	176	116	38	172	207	89	PN16	MÉTRICO
11010	75	50	1342	194	116	45	172	216	89	PN10	MÉTRICO
11080	75	65	2640	216	150	45	215	263	119	PN10	MÉTRICO
11011	90	65	2810	240	150	55	215	274	119	PN10	MÉTRICO
11081	90	80	4210	256	178	51	251	280	140	PN10	MÉTRICO



ITEM 205 | Vanne boisseau "Basic" Sortie à coller - PE - Système Basic

11012	110	80	4455	286	178	61	251	296	140	PN10	MÉTRICO
11682	110	100	6040	308	210	61	307	426	155	PN10	MÉTRICO
11685	125	100	6240	312	210	71	307	431	155	PN10	MÉTRICO
11763	125	113	7745	328	228	71	323	434	161	PN10	MÉTRICO
11889	125	113	9020	340	252	71	335	440	161	PN10	MÉTRICO
11686	140	100	6560	326	210	77	307	439	155	PN10	MÉTRICO
11768	140	113	7900	344	228	76	323	442	161	PN10	MÉTRICO
11890	140	125	11500	405	278	76	363	473	195	PN10	MÉTRICO
11840	160	125	11750	425	278	86	363	483	195	PN10	MÉTRICO
11883	160	150	18460	350	284	101	436	511	153	PN10	MÉTRICO





DOCUMENTS PRODUCT



CERTIFICATS DE PRODUCT



CERTIFICATS D'ENTREPRISE

